

## Freeform Search

Database:	US Patents Full-Text Database US Pre-Grant Publication Full-Text Database JPO Abstracts Database EPO Abstracts Database Denvent World Patents Index IBM Technical Disclosure Bulletins
Term:	
Display:	10 Documents in Display Format: - Starting with Number 1
1 3	
Generate:	O Hit List   Hit Count O Side by Side O Image
	O Hit List ● Hit Count O Side by Side O Image  Search Clear Help Logout Interrupt

## Search History

DATE: Tuesday, April 15, 2003 Printable Copy Create Case

Set Name side by side	Query	Hit Count S	et Name result set	
DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=AND				
<u>L11</u>	L9 and ((first or second) adj promoter)	11	<u>L11</u>	
<u>L10</u>	L9 and L3	6	<u>L10</u>	
<u>L9</u>	L8 and L2	89	<u>L9</u>	
<u>L8</u>	((non-homologous) or (non-targeted)) adj (integration or recombination)	470	<u>L8</u>	
<u>L7</u>	L4 and ((unpaired adj splice) adj donor)	6	<u>L7</u>	
<u>L6</u>	L4 not L5	28	<u>L6</u>	
<u>L5</u>	L4 and ((unpaired adj splice) adj donor)	6	<u>L5</u>	
<u></u> <u>L4</u>	L2 same L3	34	<u>L4</u>	
<u>L3</u>	(lacks) same (polyadenylation adj signal)	245	<u>L3</u>	
<u>L2</u>	(splice adj donor)	2932	<u>L2</u>	
<u>L1</u>	Harrington-john-J\$.in.	19	<u>L1</u>	

### Status: Path 1 of [Dialog Information Services via Modem] ### Status: Initializing TCP/IP using (UseTelnetProto 1 ServiceID pto-dialog) Trying 31060000009999...Open DIALOG INFORMATION SERVICES PLEASE LOGON: \*\*\*\*\*\* HHHHHHHH SSSSSSSS? ### Status: Signing onto Dialog \*\*\*\*\* ENTER PASSWORD: \*\*\*\*\* HHHHHHHH SSSSSSS? \*\*\*\*\*\* Welcome to DIALOG ### Status: Connected Dialog level 02.12.60D Last logoff: 14apr03 16:18:48 Logon file001 15apr03 12:29:33 \*\*\* ANNOUNCEMENT \*\*\* --File 515 D&B Dun's Electronic Business Directory is now online completely updated and redesigned. For details, see HELP NEWS 515. --File 990 - NewsRoom now contains October 2002 to present records. File 993 - NewsRoom archive contains 2002 records from January 2002-September 2002. To search all 2002 records, BEGIN 990,993 or B NEWS2002 --Alerts have been enhanced to allow a single Alert profile to be stored and run against multiple files. Duplicate removal is available across files and for up to 12 months. The Alert may be run according to the file's update frequency or according to a custom calendar-based schedule. There are no additional prices for these enhanced features. See HELP ALERT for more information. --U.S. Patents Fulltext (File 654) has been redesigned with new search and display features. See HELP NEWS 654 for information. --Connect Time joins DialUnits as pricing options on Dialog. See HELP CONNECT for information. --CLAIMS/US Patents (Files 340,341, 942) have been enhanced with both application and grant publication level in a single record. See HELP NEWS 340 for information. --SourceOne patents are now delivered to your email inbox as PDF replacing TIFF delivery. See HELP SOURCE1 for more information. -- Important news for public and academic libraries. See HELP LIBRARY for more information. \*\*\* -- Important Notice to Freelance Authors--See HELP FREELANCE for more information For information about the access to file 43 please see Help News43. \* \* \* NEW FILES RELEASED \*\*\*Dialog NewsRoom - Current 3-4 months (File 990) \*\*\*Dialog NewsRoom - 2002 Archive (File 993) \*\*\*Dialog NewsRoom - 2001 Archive (File 994) \*\*\*Dialog NewsRoom - 2000 Archive (File 995)

\*\*\*TRADEMARKSCAN-Finland (File 679)

```
lle 678)
***TRADEMARKSCAN-Norway
***TRADEMARKSCAN-Sweden (File 675)
UPDATING RESUMED
***Delphes European Business (File 481)
RELOADED
***D&B Dun's Electronic Business Directory (File 515)
***U.S. Patents Fulltext 1976-current (File 654)
***Population Demographics (File 581)
***Kompass Western Europe (File 590)
***D&B - Dun's Market Identifiers (File 516)
REMOVED
***Chicago Tribune (File 632)
***Fort Lauderdale Sun Sentinel (File 497)
***The Orlando Sentinel (File 705)
***Newport News Daily Press (File 747)
***U.S. Patents Fulltext 1980-1989 (File 653)
***TOXNET data is added to ToxFile (F156)
***New document supplier***
IMED has been changed to INFOTRIE (see HELP OINFOTRI)
     >>> Enter BEGIN HOMEBASE for Dialog Announcements <<<
     >>> of new databases, price changes, etc.
KWIC is set to 50.
HILIGHT set on as '*'
* * * *
       1:ERIC 1966-2003/Mar 24
File
       (c) format only 2003 The Dialog Corporation
      Set Items Description
Cost is in DialUnits
?b 155, 5, 73
       15apr03 12:29:52 User259876 Session D488.1
            $0.33 0.095 DialUnits File1
     $0.33 Estimated cost File1
     $0.07 TELNET
     $0.40 Estimated cost this search
     $0.40 Estimated total session cost 0.095 DialUnits
 SYSTEM:OS - DIALOG OneSearch
   File 155:MEDLINE(R) 1966-2003/Apr W1
          (c) format only 2003 The Dialog Corp.
 *File 155: Medline has been reloaded and accession numbers have
 changed. Please see HELP NEWS 155.
   File 5:Biosis Previews(R) 1969-2003/Apr W1
          (c) 2003 BIOSIS
         5: Alert feature enhanced for multiple files, duplicates
 removal, customized scheduling. See HELP ALERT.
   File 73:EMBASE 1974-2003/Apr W1
          (c) 2003 Elsevier Science B.V.
 *File 73: Alert feature enhanced for multiple files, duplicates
 removal, customized scheduling. See HELP ALERT.
       Set Items Description
           _____
 ?s (splice (w) donor)
            31567 SPLICE
           217209 DONOR
```

2787 (SPLICE W) DONOR) S1 ?s (lack) (s) (polyadenylation (w) signal) 407533 LACK 11757 POLYADENYLATION 585457 SIGNAL 89 (LACK) (S) (POLYADENYLATION (W) SIGNAL) S2 ?s s1 (s) s2 2787 S1 S2 89 S3 3 S1 (S) S2 ?rd ...completed examining records S4 1 RD (unique items) ?t s4/3, k/all(Item 1 from file: 155) 4/3, K/1DIALOG(R) File 155: MEDLINE(R) (c) format only 2003 The Dialog Corp. All rts. reserv. PMID: 8024703 94296564 08230610 Structure of the mouse gonadotropin-releasing hormone receptor gene: variant transcripts generated by alternative processing. Zhou W; Sealfon S C Fishberg Research Center for Neurobiology, Mount Sinai Medical Center, New York, NY 10029. Jun 1994, 13 (6) p605-14, DNA and cell biology (UNITED STATES) ISSN 1044-5498 Journal Code: 9004522 Document type: Journal Article Languages: ENGLISH Main Citation Owner: NLM Record type: Completed The mouse gonadotropin-releasing hormone receptor (GnRHR) is unique among G-protein-coupled receptors in its \*lack\* of a putative intracellular carboxy-terminal domain. A gonadotrope cell line cDNA library was screened in a search for alternative forms of the receptor transcript... ... functional 327-amino-acid receptor previously reported. One group of clones (14%), which contains exons 1 and 2, continues 700 bp past the exon 2 \*splice\* \*donor\* of the wild-type receptor. These clones terminate after a \*polyadenylation\* \*signal\* and have an open reading frame encoding a protein of only 261 amino acids. In a different group of transcripts (5%), exon 2 is absent... ?ds Description Set Items (SPLICE (W) DONOR) S1 2787 (LACK) (S) (POLYADENYLATION (W) SIGNAL) 89 S2 3 S1 (S) S2 S3 RD (unique items) 1 S4?s s1 and s2 2787 S1 89 52 S.5 3 S1 AND S2 ...completed examining records 1 RD (unique items) ?t s6/3, k/all6/3, K/1(Item 1 from file: 155) DIALOG(R) File 155:MEDLINE(R) (c) format only 2003 The Dialog Corp. All rts. reserv. PMID: 8024703 08230610 94296564

Structure of the mouse gonadotropin-releasing hormone receptor gene: variant transcripts generated by alternative processing.

Zhou W; Sealfon S C Fishberg Research Center for Neurobiology, Mount Sinai Medical Center, New York, NY 10029.

DNA and cell biology (UNITED STATES) Jun 1994, 13 (6) p605-14,

ISSN 1044-5498 Journal Code: 9004522

Document type: Journal Article

Languages: ENGLISH
Main Citation Owner: NLM
Record type: Completed

The mouse gonadotropin-releasing hormone receptor (GnRHR) is unique among G-protein-coupled receptors in its \*lack\* of a putative intracellular carboxy-terminal domain. A gonadotrope cell line cDNA library was screened in a search for alternative forms of the receptor transcript...

... functional 327-amino-acid receptor previously reported. One group of clones (14%), which contains exons 1 and 2, continues 700 bp past the exon 2 \*splice\* \*donor\* of the wild-type receptor. These clones terminate after a \*polyadenylation\* \*signal\* and have an open reading frame encoding a protein of only 261 amino acids. In a different group of transcripts (5%), exon 2 is absent... ?ds

Description Items Set (SPLICE (W) DONOR) 2787 (LACK) (S) (POLYADENYLATION (W) SIGNAL) 89 S2 S1 (S) S2 **S**3 3 RD (unique items) S4 1 S1 AND S2 **S**5 3 1 RD (unique items) 56 ?s (lacks) (s) (polyadenylation (w) signal) 46081 LACKS 11757 POLYADENYLATION 585457 SIGNAL (LACKS) (S) (POLYADENYLATION (W) SIGNAL) 107 **S**7 ?s s1 (s) s7 2787 S1 107 s7 S1 (S) S7 S8 2 ...completed examining records S9 1 RD (unique items)

## 9/3,K/1 (Item 1 from file: 155)

DIALOG(R)File 155:MEDLINE(R)

?t s9/3, k/all

(c) format only 2003 The Dialog Corp. All rts. reserv.

08695603 95384208 PMID: 7655516

A new strategy of gene trapping in ES cells using 3'RACE.

Yoshida M; Yagi T; Furuta Y; Takayanagi K; Kominami R; Takeda N; Tokunaga T; Chiba J; Ikawa Y; Aizawa S

Laboratory of Molecular Oncology, Tsukuba Life Science Center, RIKEN, Ibaraki, Japan.

Transgenic research (ENGLAND) Jul 1995, 4 (4) p277-87, ISSN

0962-8819 Journal Code: 9209120 Document type: Journal Article

Languages: ENGLISH
Main Citation Owner: NLM
Record type: Completed

... we describe a strategy to identify gene trapping clones which is not based on expression of a reporter gene. It uses the neor gene which \*lacks\* a \*polyadenylation\* \*signal\* and has a \*splice\* \*donor\* signal. Expression of the neor gene as fusion transcripts with the 3' end containing the \*polyadenylation\* \*signal\* of tagged genes allows the identification of

.

these clones by 3' rapid amplification of the cDNA end in differentiated ES cells, even if the genes...

```
Items
                Description
Set
         2787
                (SPLICE (W) DONOR)
S1
           89
                (LACK) (S) (POLYADENYLATION (W) SIGNAL)
S2
            3
                S1 (S) S2
S3
            7
                RD (unique items)
S4
                S1 AND S2
S5
            3
                RD (unique items)
S6
            1
          107
                (LACKS) (S) (POLYADENYLATION (W) SIGNAL)
S7
                S1 (S) S7
S8
            2
                RD (unique items)
S9
            1
?s s1 and s7
            2787 S1
             107 S7
               2 S1 AND S7
     S10
?rd
...completed examining records
           1 RD (unique items)
     S11
?t s11/3,k/all
```

#### 11/3,K/1 (Item 1 from file: 155)

DIALOG(R) File 155:MEDLINE(R)

(c) format only 2003 The Dialog Corp. All rts. reserv.

08695603 95384208 PMID: 7655516

### A new strategy of gene trapping in ES cells using 3'RACE.

Yoshida M; Yagi T; Furuta Y; Takayanagi K; Kominami R; Takeda N; Tokunaga T; Chiba J; Ikawa Y; Aizawa S

Laboratory of Molecular Oncology, Tsukuba Life Science Center, RIKEN, Ibaraki, Japan.

Transgenic research (ENGLAND) Jul 1995, 4 (4) p277-87, ISSN 0962-8819 Journal Code: 9209120

Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM Record type: Completed

... we describe a strategy to identify gene trapping clones which is not based on expression of a reporter gene. It uses the neor gene which \*lacks\* a \*polyadenylation\* \*signal\* and has a \*splice\* \*donor\* signal. Expression of the neor gene as fusion transcripts with the 3' end containing the \*polyadenylation\* \*signal\* of tagged genes allows the identification of these clones by 3' rapid amplification of the cDNA end in undifferentiated ES cells, even if the genes... ?ds

```
Set
        Items
                Description
                (SPLICE (W) DONOR)
S1
         2787
                (LACK) (S) (POLYADENYLATION (W) SIGNAL)
S2
           89
                S1 (S) S2
S3
            3
S 4
            1
                RD (unique items)
            3
                S1 AND S2
S5
            1
                RD (unique items)
S6
                (LACKS) (S) (POLYADENYLATION (W) SIGNAL)
          107
s7
            2
                S1 (S) S7
S8
            1
                RD (unique items)
S9
S10
            2
                S1 AND S7
S11
            1
                RD (unique items)
?s (gene (w) trapping) or (trap (w) vector?)
         2011541 GENE
           36574 TRAPPING
             211 GENE (W) TRAPPING
           37916 TRAP
```

```
274780 VECTOR?
             232 TRAP (W) VECTOR?
             409 (GENE (W) TRAPPING) OR (TRAP (W) VECTOR?)
     S12
?s s12 and (unpaired (w) splice (w) donor)
             409 S12
           10900 UNPAIRED
           31567
                 SPLICE
          217209 DONOR
                  UNPAIRED (W) SPLICE (W) DONOR
                 S12 AND (UNPAIRED (W) SPLICE (W) DONOR)
     s13
?s (unpaired (w) splice (w) donor)
           10900 UNPAIRED
           31567
                 SPLICE
          217209 DONOR
               1 (UNPAIRED (W) SPLICE (W) DONOR)
     S14
?t s14/3, k/all
              (Item 1 from file: 73)
 14/3,K/1
DIALOG(R) File 73: EMBASE
(c) 2003 Elsevier Science B.V. All rts. reserv.
             EMBASE No: 1998066892
  TKT'S plans for turning on endogenous genes
  Expert Opinion on Therapeutic Patents ( EXPERT OFIN. THER. PAT. ) (United
  Kingdom) 1998, 8/3 (325-328)
  CODEN: EOTPE
                ISSN: 1354-3776
  DOCUMENT TYPE: Journal; Article
                                                     RM 300. E9
                      SUMMARY LANGUAGE: ENGLISH
  LANGUAGE: ENGLISH
  NUMBER OF REFERENCES: 7
  ...the targeting construct. Specifically, the targeting constructs
include at least: DNA homologous to the target locus, exogenous regulatory
sequences and an exogenous exon with an *unpaired* *splice* *donor* site.
The new transcription unit is expressed from the exogenous regulatory
sequences and includes most or all of the target gene's coding sequences
which...
?ds
Set
        Items
                Description
               (SPLICE (W) DONOR)
         2787
S1
                (LACK) (S) (POLYADENYLATION (W) SIGNAL)
           89
S2.
                S1 (S) S2
S3
            3
            1
                RD (unique items)
S4
            3
                S1 AND S2
S5
                RD (unique items)
S6
            1
                (LACKS) (S) (POLYADENYLATION (W) SIGNAL)
          107
s7
            2
                S1 (S) S7
S8
            1
                RD (unique items)
S9
            2
S10
                S1 AND S7
            1
                RD (unique items)
S11
                (GENE (W) TRAPPING) OR (TRAP (W) VECTOR?)
          409
S12
                S12 AND (UNPAIRED (W) SPLICE (W) DONOR)
S13
            0
                (UNPAIRED (W) SPLICE (W) DONOR)
            1
?s s12 and (a (w) splice (w) donor)
Processing
Processing
              409 S12
         20218460 A
           31567 SPLICE
           217209 DONOR
              319 A(W) SPLICE(W) DONOR
                2 S12 AND (A (W) SPLICE (W) DONOR)
     S15
 ?rd
 ...completed examining records
                1 RD (unique items)
     S16
 ?t s16/3, k/all
```

16/3,K/1 (Item 1 from file: 155)
DIALOG(R)File 155:MEDLINE(R)

(c) format only 2003 The Dialog Corp. All rts. reserv.

08695603 95384208 PMID: 7655516

A new strategy of \*gene\* \*trapping\* in ES cells using 3'RACE.

Yoshida M; Yagi T; Furuta Y; Takayanagi K; Kominami R; Takeda N; Tokunaga T; Chiba J; Ikawa Y; Aizawa S

Laboratory of Molecular Oncology, Tsukuba Life Science Center, RIKEN, Ibaraki, Japan.

Transgenic research (ENGLAND) Jul 1995, 4 (4) p277-87, ISSN

962-8819 Journal Code: 9209120 Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM Record type: Completed

A new strategy of \*gene\* \*trapping\* in ES cells using 3'RACE.

\*Gene\* \*trapping\* " in embryonic stem (ES) cells is a novel approach to identify a series of genes in mammals concomitant with the production of the corresponding mutant mice. However, this approach is currently unable to identify genes that are not expressed in ES cells. Here we describe a strategy to identify \*gene\* \*trapping\* clones which is not based on expression of a reporter gene. It uses the neor gene which lacks a polyadenylation signal and has \*a\* \*splice\* \*donor\* signal. Expression of the neor gene as fusion transcripts with the 3' end containing the polyadenylation signal of tagged genes allows the identification of these ...

... if the genes are not expressed in ES cells. Amplification was observed in about 25% of G418-resistant clones. Sequence analyses suggested the amplifications represent \*gene\* \*trapping\* events. The feasibility of this approach was further assessed by analysing one clone, PAT-12, in detail. ?ds

```
Set
        Items
                Description
S1
         2787
                (SPLICE (W) DONOR)
S2
           89
                (LACK) (S) (POLYADENYLATION (W) SIGNAL)
S3
            3
                S1 (S) S2
S4
            1
                RD (unique items)
S5
            3
                S1 AND S2
S6
            1
                RD (unique items)
S7
          107
                (LACKS) (S) (POLYADENYLATION (W) SIGNAL)
S8
            2
                S1 (S) S7
S9
            1
                RD (unique items)
            2
                S1 AND S7
S10
                RD (unique items)
S11
            1
          409
                (GENE (W) TRAPPING) OR (TRAP (W) VECTOR?)
S12
                S12 AND (UNPAIRED (W) SPLICE (W) DONOR)
S13
            0
                (UNPAIRED (W) SPLICE (W) DONOR)
S14
            1
                S12 AND (A (W) SPLICE (W) DONOR)
S15
                RD (unique items)
S16
            1
?s s12 and ((first or second or third) (w) promoter)
             409 S12
         2019523 FIRST
          938450 SECOND
          459825
                  THIRD
          263374 PROMOTER
                  ((FIRST OR SECOND) OR THIRD)(W)PROMOTER
     S17
               O S12 AND ((FIRST OR SECOND OR THIRD) (W) PROMOTER)
?s s12 and (non-targeted or non-homologous)
             409 S12
               0 NON-TARGETED
               8 NON-HOMOLOGOUS
     S18
               0 S12 AND (NON-TARGETED OR NON-HOMOLOGOUS)
```

?s s12 and ((non (w) homo. gous) or (non (w) targeted)) 409 S12 4029284 NON 243639 HOMOLOGOUS 2707 NON (W) HOMOLOGOUS 4029284 NON 93405 TARGETED 414 NON (W) TARGETED 0 S12 AND ((NON (W) HOMOLOGOUS) OR (NON (W) TARGETED)) S19 ?s s12 and (random (w) activation) 409 S12 252168 RANDOM 1125457 ACTIVATION 58 RANDOM(W)ACTIVATION 0 S12 AND (RANDOM (W) ACTIVATION) S20 ?s (random (w) activation) (s) (gene (w) expression) 252168 RANDOM 1125457 ACTIVATION 2011541 GENE 1773410 EXPRESSION 9 (RANDOM (W) ACTIVATION) (S) (GENE (W) EXPRESSION) S21 ?s s21 and (splice (w) donor) 9 S21 31567 SPLICE 217209 DONOR 2787 SPLICE(W) DONOR 0 S21 AND (SPLICE (W) DONOR) S22 ?rd s21 ...completed examining records 5 RD S21 (unique items) S23 ?t s23/3,k/all (Item 1 from file: 155) 23/3,K/1 DIALOG(R) File 155: MEDLINE(R) (c) format only 2003 The Dialog Corp. All rts. reserv. PMID: 11329013 09454830 21227151 Creation of genome-wide protein expression libraries using \*random\* \*activation\* of \*gene\* \*expression\*. Harrington J J; Sherf B; Rundlett S; Jackson P D; Perry R; Cain S; Leventhal C; Thornton M; Ramachandran R; Whittington J; Lerner L; Costanzo D; McElligott K; Boozer S; Mays R; Smith E; Veloso N; Klika A; Hess J; Cothren K; Lo K; Offenbacher J; Danzig J; Ducar M Athersys, Inc., 3201 Carnegie Ave., Cleveland, OH 44115, USA. jharrington@athersys.com Nature biotechnology (United States) May 2001, 19 (5) p440-5, ISSN 1087-0156 Journal Code: 9604648 Document type: Journal Article Languages: ENGLISH Main Citation Owner: NLM Record type: Completed Creation of genome-wide protein expression libraries using \*random\* \*activation\* of \*gene\* \*expression\*. Here we report the use of \*random\* \*activation\* of \*gene\* \*expression\* (RAGE) to create genome-wide protein expression libraries. RAGE libraries containing only 5  $\times$  10(6) individual clones were found to express every gene tested...

23/3,K/2 (Item 2 from file: 155)

DIALOG(R) File 155: MEDLINE(R)

(c) format only 2003 The Dialog Corp. All rts. reserv.

08892875 20179470 PMID: 10712946

Lineage commitment in lymphopoiesis.

Busslinger M; Nutt S L; Colink A G

Research Institute of Molecular Pathology, Vienna, A-1030, Austria.

busslinger@nt.imp.univie.ac.at

Current opinion in immunology (ENGLAND) Apr 2000, 12 (2) p151-8,

Document type: Journal Article; Review; Review, Tutorial

Languages: ENGLISH

Main Citation Owner: NLM Record type: Completed

... cell development may proceed in two steps. At the onset of B-lymphopoiesis, the transcription factors E2A and EBF coordinately activate the B-cell-specific \*gene\* \*expression\* program. Subsequently, Pax5 appears to repress the promiscuous transcription of lineage-inappropriate genes and thus commits progenitor cells to the B-lymphoid pathway by suppressing alternative cell fates. B-lineage commitment by Pax5 seems to occur in a stochastic manner in the bone marrow, as indicated by the \*random\* \*activation\* of only one of the two Pax5 alleles in early pro-B cells. In contrast, loss- and gain-of-function analyses have implicated the Notchl...

### 23/3,K/3 (Item 3 from file: 155)

DIALOG(R)File 155:MEDLINE(R)

(c) format only 2003 The Dialog Corp. All rts. reserv.

03124391 80047063 PMID: 227712

### Globin gene expression in MSV-transformed fibroblasts.

Parker I; Fitschen W

Experientia (SWITZERLAND) Oct 15 1979, 35 (10) p1312-3, ISSN

0014-4754 Journal Code: 0376547 Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM Record type: Completed

The activation of globin \*gene\* \*expression\* on viral transformation of 3T3 cells was investigated. Globin mRNA was determined using a radioactive complementary DNA probe. No difference was found between 3T3 and transformed 3T3 cells. There does not therefore appear to be a \*random\* \*activation\* of extensive regions of the cellular genome.

#### 23/3,K/4 (Item 1 from file: 5)

DIALOG(R) File 5: Biosis Previews(R) (c) 2003 BIOSIS. All rts. reserv.

#### 13410147 BIOSIS NO.: 200200038968

## \*Random\* \*Activation\* of \*Gene\* \*Expression\* to identify proteins regulating apoptosis.

AUTHOR: Rundlett S(a)

AUTHOR ADDRESS: (a) Research, Athersys, Inc., Cleveland, OH\*\*USA

JOURNAL: American Journal of Human Genetics 69 (4 Supplement):p261

October, 2001 MEDIUM: print

CONFERENCE/MEETING: 51st Annual Meeting of the American Society of Human

Genetics San Diego, California, USA October 12-16, 2001

ISSN: 0002-9297 RECORD TYPE: Citation LANGUAGE: English

# \*Random\* \*Activation\* of \*Gene\* \*Expression\* to identify proteins regulating apoptosis.

...METHODS & EQUIPMENT: \*random\* \*activation\* of \*gene\* \*expression\*--

```
(Item 2 from file: 5)
 23/3,K/5
DIALOG(R) File
                5:Biosis Previews(R)
(c) 2003 BIOSIS. All rts. reserv.
12737521
           BIOSIS NO.: 200000491144
Creation of comprehensive protein expression libraries in human cells using
  genome-wide *Random* *Activation* of *Gene* *Expression* (RAGE).
AUTHOR: Sherf B A(a); Rundlett S(a); Perry R(a); Harrington J(a)
AUTHOR ADDRESS: (a) Athersys, Inc, Cleveland, OH**USA
JOURNAL: American Journal of Human Genetics 67 (4 Supplement 2):p265
October, 2000
MEDIUM: print
CONFERENCE/MEETING: 50th Annual Meeting of the American Society of Human
Genetics Philadelphia, Pennsylvania, USA October 03-07, 2000
SPONSOR: American Society of Human Genetics
ISSN: 0002-9297
RECORD TYPE: Citation
LANGUAGE: English
SUMMARY LANGUAGE: English
Creation of comprehensive protein expression libraries in human cells using
  genome-wide *Random* *Activation* of *Gene* *Expression* (RAGE).
DESCRIPTORS:
  CHEMICALS & BIOCHEMICALS:
                              *random* *activation* of *gene* *expression*
    vectors
  MISCELLANEOUS TERMS:
                         ...genome-wide *random* *activation* of *gene*
    *expression* library...
?ds
Set
        Items
                Description
                (SPLICE (W) DONOR)
S1
         2787
S2
           89
                (LACK) (S) (POLYADENYLATION (W) SIGNAL)
S3
            3
                S1 (S) S2
S4
            1
                RD (unique items)
S5
            3
                S1 AND S2
S6
            1
                RD (unique items)
s7
          107
                (LACKS) (S) (POLYADENYLATION (W) SIGNAL)
S8
            2
                S1 (S) S7
S 9
            1
                RD (unique items)
S10
            2
                S1 AND S7
S11
            1
                RD (unique items)
S12
          409
                (GENE (W) TRAPPING) OR (TRAP (W) VECTOR?)
S13
            0
                S12 AND (UNPAIRED (W) SPLICE (W) DONOR)
S14
                (UNPAIRED (W) SPLICE (W) DONOR)
S15
            2
                S12 AND (A (W) SPLICE (W) DONOR)
S16
            1
                RD (unique items)
S17
            0
                S12 AND ((FIRST OR SECOND OR THIRD) (W) PROMOTER)
S18
            0
                S12 AND (NON-TARGETED OR NON-HOMOLOGOUS)
                S12 AND ((NON (W) HOMOLOGOUS) OR (NON (W) TARGETED))
S19
            0
S20
            0
                S12 AND (RANDOM (W) ACTIVATION)
            9
S21
                (RANDOM (W) ACTIVATION) (S) (GENE (W) EXPRESSION)
S22
            0
                S21 AND (SPLICE (W) DONOR)
S23
            5
                RD S21 (unique items)
?logoff
       15apr03 12:46:28 User259876 Session D488.2
            $7.01
                     2.191 DialUnits File155
               $1.68 8 Type(s) in Format
            $1.68 8 Types
     $8.69
            Estimated cost File155
            $9.65
                     1.724 DialUnits File5
               $3.50 2 Type(s) in Format 3
            $3.50 2 Types
    $13.15
           Estimated cost File5
           $16.55
                    1.839 DialUnits File73
               $2.50 1 Type(s) in Format 3
            $2.50 1 Types
```

\$19.05 Estimated cost File73
OneSearch, 3 files, 5.754 DialUnits FileOS
\$3.96 TELNET
\$44.85 Estimated cost this search
\$45.25 Estimated total session cost 5.849 DialUnits

### Status: Signed Off. (17 minutes)